



CDF Proof

Resistant, waterproof & durable

Colección MEXICO 2024 - 2025



Cuadrante de San Francisco No. 14,
Col. Cuadrante de San Francisco
Alcaldía: Coyoacán
C.P. 04320, CDMX
55 5554-5858 CON 10 LÍNEAS

DONDE COMPRAR



SWITZERLAND



SWISSCDF

Kompakt verdichtete Faserplatte
Panneau de fibres dense et compact
Pannelli di fibre di legno compatto
Compact Density Fibreboard

CDF Proof

Resistant, waterproof & durable

ADVANTAGES

- ✓ Extremadamente compacto y robusto
- ✓ Resistente a las llamas
- ✓ Resistente a la humedad



APPLICATION AREAS

- ✓ Arte y diseño
- ✓ Vestuarios y aseos
- ✓ Grabado y logotipos (aplicaciones CNC)
- ✓ Mobiliario y equipamiento comercial

CDF Proof

Resistant, waterproof & durable

UNA COMBINACIÓN ÚNICA DE PROPIEDADES



Extremadamente compacto y resistente



Resistente a la humedad



Bajo hinchamiento



Difícilmente inflamable



A prueba de golpes



Resistente a los arañazos



Fácil de procesar



Bajo nivel de emisiones



Respetuoso con el medio ambiente



Fácil de cuidar



Higiénico



Variedad de colores y estructuras

CDF Proof

Resistant, waterproof & durable

es respetuoso con el medio ambiente



Fabricado con madera suiza procedente de bosques gestionados de forma sostenible.



En la producción se utiliza más del 90 % de fuentes de energía renovables.



SWISSCDF encaja a la perfección en el uso en cascada del ciclo de la madera.



Absorbe el CO₂ y protege el medio ambiente.



CDF Proof

Resistant, waterproof & durable


is ecofriendly



CDF Proof

EN Technical Data


High density wood fibreboard (>1,000 kg/m³)



CDF Proof

Resistant, waterproof & durable


Texturas



Textura: CERA
Código: V




Textura: SOFT
Código: S



Textura: TECH
Código: TC



Textura: LIGNUM
Código: LG



Textura: RAIN
Código: RN

CDF Proof

Resistant, waterproof & durable

Colección MEXICO 2024 - 2025



3467

ETNA GOLDEN

Finish PC

CDF Proof

Resistant, waterproof & durable

Colección MEXICO 2024 - 2025



3803

EUCALIPTO ALBUFERA

Finish LIGNUM

CDF Proof

Resistant, waterproof & durable

Colección MEXICO 2024 - 2025



CDF Proof

Resistant, waterproof & durable

Colección MEXICO 2024 - 2025



CDF Proof

Resistant, waterproof & durable

Colección MEXICO 2024 - 2025



CDF Proof

Resistant, waterproof & durable

Colección MEXICO 2024 - 2025


L
BLANCO
Finish CERA

0010
NEGRO
Finish SOFT

CDF Proof

Resistant, waterproof & durable

APLICACIONES – Retail & Mobiliario



CDF Proof

Resistant, waterproof & durable



EDUCATIONAL
OFFICE
HOSPITAL
PUBLIC AREA



CDF Proof

Resistant, waterproof & durable

EDUCATIONAL
OFFICE
HOSPITAL
PUBLIC AREA






1836
MARQUINA
Finish TECH



CDF Proof

Resistant, waterproof & durable



DESIGN
ART
FURNITURE



CDF Proof

Resistant, waterproof & durable



CDF Proof


Resistant, waterproof & durable



CDF Proof

Resistant, waterproof & durable

RESTAURANT
STORE
HOTEL



Schwer entflammbar
Difficilement inflammable
Difficilmente infiammabile
Fire retardant



CDF Proof

Resistant, waterproof & durable

WC/CUBICLE
PARTITION
LOCKER





A prueba de golpes

CDF Proof

Resistant, waterproof & durable



Extremadamente compacto y resistente



It's hard to make it
look easy.



Quellungsarm
Faible gonflement
Rigonfiamento ridotto
Low swelling

CDF Proof

Resistant, waterproof & durable



Bajo hinchamiento



Resistente a la
humedad



CDF Proof

Resistant, waterproof & durable

WC/CUBICLE
PARTITION
LOCKER



Higiénico



Resistente
a los arañazos




CDF Proof

Resistant, waterproof & durable

FICHA TECNICA

CDF Proof

High density wood fibreboard (>1,000 kg/m³)



Low swelling



Low flammability



Shock resistant



Scratch resistant



Processing friendly



Low emissions



Environmentally friendly



Easy care



Hygienic



A wide variety of colours and structures

CDF Proof con revestimiento

(acc. to EN 14322: Melamine-coated borads for indoor applications)

Testing Parameter	WB03	WB05	WB07	Unit	Standard
Abrasion resistance	3A	3A	3A	Class [1-4]	EN 14322
Scratch-resistance behaviour	3.5	3.5	3.5	N	EN 14322
Susceptibility to cracking	5	5	5	Class [1-5]	EN 14322
Shock resistance (large steel ball)	1'000	1'000	1'000	mm	EN 14322
Behaviour when exposed to steam	4	4	4	Level [1-5]	EN 14322
Colour / surface consistence	4	4	4	Level [1-5]	EN 14322
Resistance to staining	4	4	4	Level [1-5]	EN 14322
Light fastness	>4	>4	>4	Level	EN 14322
Edgeband swelling	<7	<7	<7	%	EN 13329
Formaldehyde emission	<0.4	<0.4	<0.4	mg/(m ² h)	EN 717-2
Fire classification	C-s2,d0 flame-retardant (limited smoke development, no dripping)				EN 13501-1
Tolerances	Thickness +0.5/-0.3 mm Length x width at 2.80 x 2.07 m ±5.0 mm, for cut shapes ±2.5 mm Edge chipping at 2.80 x 2.07 m ≤10 mm, for cut shapes ≤3 mm Surface defect: Spots ≤2 mm ² /m ² , longitudinal defects ≤20 mm/m				EN 14322
Ecology information	Renewable energy > 90 % wood fibre 65-75 % MUF adhesive 20-30 % Swiss wood does not contain old-forest no chlorides no biocides in the wood no heavy metals in the coating biologically/thermally recyclable				SIA 493.05

CDF Proof

Resistant, waterproof & durable

CERTIFICACIONES



Das Zeichen für verantwortungsvolle Wirtschaft.

Fragen Sie nach FSC®-zertifizierten Produkten



CDF Proof

Resistant, waterproof & durable



Cuadrante de San Francisco No. 14,
Col. Cuadrante de San Francisco
Alcaldía: Coyoacán
C.P. 04320, CDMX
55 5554-5858 CON 10 LÍNEAS

DONDE COMPRAR